

IBC Heated Jacket 1000w Specification Sheet

1000 Litre Weld Steel Mesh Cage or Similar Intermediate Bulk Container
1200x1000x1190mm
1000 watt
230 Volt
Electronic thermostatic controller with manual temperature adjustment, LED
heater output Indication.
Control 0 – 60 Degrees, Temperature Sensor sited on IBC Surface
16 amp Blue Plug with 4 metre Mains Cable
Heavy Duty Durable PVC
Double faced Silicone Rubber Coated Glass Cloth
High Performance 25mm Mineral Fibre
Heavy duty hooks to aid one man fitting with Velcro flap and adjustable
webbing straps complete with quick release buckle fastening
Fully insulated to reduce thermal loss

Additional Information:

Heating the IBC contents reduces product viscosity, improving flow and reducing decant time.

1000 watt - Single Circuit Heated Section at bottom, insulated top single stat controller.

Heating element PTFE insulated spiral wound resistance element with tinned nickel braid for safety.

Yield improved, no product left behind therefore reduction in cost.

High performance 25mm Mineral Fibre insulation encapsulated in water resistant, strong and durable PVC outer of Industrial Standard.

Contact Details;

Address; Unit 16 – 17, Century Park Network Centre, Dearne Lane, Rotherham S63 5DE

Telephone : 01709 761170 Fax: 01709 761120 Website : www.jadedirect.co.uk



Standard Product IBC 1000 w 0517 v3